



UV protection & glare reduction

Summer shade or winter sun

Large spans with minimal structure

Durable design for Commercial applications





Australian



Durable Fabrics

The Shaderunner® is manufactured from a range of rigorously tested fabrics which are as durable as they are stylish, being designed to withstand high traffic applications and the demands of the harsh Australian climate with ease.

Polyester Mesh (10 Year Warranty) 90-95% UV block out for shade and glare reduction.



Waterproof PVC (10 Year Warranty)



This simple yet functional system provides the ultimate convenience of controllable shade on demand, maximising the use of outdoor spaces in the Australian climate.

Constructed from durable components rigorously tested fabrics, the and Shaderunner® provides a robust retractable shade solution capable of spanning large areas with minimum support structure beneath - an important factor when considering the shading of commercial or public spaces.

The Shaderunner® can be manufactured from a wide range of fabrics including Polyester Mesh for dependable shading with 95% block out, to translucent Waterproof PVC for a weatherproof solution. Each fabric is mould resistant and offers protection from glare and harmful UV rays, with a wide range of colours available.

Most Shaderunners® feature an easy to use manually operated endless cord system with horn cleat tie off point. Very large or inclined systems may also include a winch to assist with manual operation.

publicly accessible stainless-steel lockable horn cleat cover plate can be added to prevent unwanted access to the operation cord.

For the ultimate convenience, or where manual operation is not appropriate, the Shaderunner® can be motorised with a Somfy RTS motor which is housed in a slimline powdercoated headbox.

Controlled using a hand-held remote or wall mounted switch, further automated control can be provided with the addition of sun, wind, and rain sensors to extend or retract the Shaderunners® during weather events.



Warranty **Durable Components** The Shaderunner® is durable by design and will The Shaderunner® is constructed using provide years of trouble free use. For peace of only the most robust components including mind, this is backed up by the following warranties: marine grade Ronstan ball bearing pulleys & 316 stainless fittings. These low 5 years on components & workmanship friction ball bearing pulleys ensure continued ease of use and durability. 5-10 years on fabrics Extensions up to 14.0m with a single system 10 years on fabric stitching or welding 5 years on Somfy motors 20% of Width wide range Strong by Design of colours Robust aluminium support profiles allow large spans of up to 6.5m wide with a single system. For wider areas additional High Strength Fittings systems can be added for further coverage. High strength 316 stainless steel running wires and tension fittings enable large extensions, typically up to Shade*run* 14m as a single system. Larger spans are possible subject to site conditions & structural design. Also possible with twin Shaderunner® fabrics running on the same wires, stacking at Simple Operation both ends and extending to the centre. **Manually operated Systems** feature an endless cord system to easily extend and retract the fabric, with the cord then secured and tied off at the horncleat. For very large systems, or where the Shaderunner® is sloped or angled, a manual winch can be added to aid operation. When not in use the winch handle can be detached and stowed away. Remote motorised operation is also available for the ultimate convenience if preferred. The Shaderunner is effortlessly extended at the touch of a button with the Somfy remote control.

Tree Tops ELC Findon SA





6.5m maximum, 2.0m minimum for motorised

Extension: Large extensions possible with minimal structure, subject to

structural integruty of support structure & engineering requirements

Fabric Drop: 250-500mm typical stowed fabric depth

> (custom designed to suit site conditions) 2 x Stainless Steel Wires as standard

Running Wires: (additional wires where required)


Operation: Manual operation as standard with endless cord system & cleat Motorised option with remote controller*

Somfy RTS motor in powdercoated slimline headbox

Motor type: Sensors:

Optional Somfy wind, sun or rain sensors 25 knots (or to suit engineer design of support structure)

Wind Resistance: *Conditions apply



Each Shaderunner® is individually designed and manufactured to suit, providing the optimum custom shade solution. This flexible approach, along with site specific engineering and structural design enables the creation of a truly tailor-made solution, capable of shading larger or more complex areas that other off-the peg retractable shade systems simply cannot accommodate. Adaptable by design, the Shaderunner is the ultimate in dependable on-demand shading for commercial applications.

Range of Support Options

Versatile by design, the Shaderunner® is ideally suited to a range of structural support systems. The Shaderunner® is typically fixed to buildings, fascias, walls, posts, pergolas, custom structures or a combination of these - plus more.





Australian Head Office/Manufacturing/Showroom:



- Free call 1800 495 645
- @ www.shaderunner.com.au
- enquiries@shaderunner.com.au



