

# SKYSPAN<sup>TM</sup>

ARCHITECTURAL UMBRELLA & HYPAR RANGE



*Style without Compromise*



<b>Index</b>	<b>2</b>
<b>About Us</b>	<b>3</b>
<b>Architectural Umbrellas</b>	<b>4</b>
<b>Umbrella Features</b>	<b>5 - 6</b>
<b>The Portable Range</b>	<b>7</b>
<b>The Horizon Range</b>	<b>8</b>
<b>The Sunset Range</b>	<b>9</b>
<b>The Typhoon Range</b>	<b>10</b>
<b>The Vista Range</b>	<b>11</b>
<b>The Panorama Range</b>	<b>12</b>
<b>The Hypar Range</b>	<b>13</b>
<b>The Xentia Range</b>	<b>14</b>
<b>Umbrella Options</b>	<b>15 - 16</b>
<b>Umbrella Specifications</b>	<b>17 - 18</b>
<b>Product Specification Matrix</b>	<b>19</b>
<b>Related Architectural Products Cover Page</b>	<b>20</b>
<b>Architectural Index</b>	<b>21</b>
<b>Architectural Structures</b>	<b>22</b>
<b>Car Park Structures</b>	<b>23</b>
<b>Accreditations</b>	<b>24</b>





# ABOUT US

SKYSPAN™ is an Australian owned and operated company established in the early 1990's with our Head Office based on Brisbane's South side. We are proud to be considered among the industry leaders in design, manufacture and installation of architectural, commercial and residential shade solutions.

Our turn-key service begins with our unique designs, which are all certified by our in-house structural engineers and wind rated to meet or exceed Australian standards.

SKYSPAN™ is a 'preferred supplier' under Q.L.D Local Buy and S.A. LGCS (Local Government Corporate Services) contract for open spaces, parks, gardens and all ability playgrounds, works, goods and services (Contract: BUS 201-0810). Local Buy and LGCS contracts are fully compliant with the requirements of Local Government Act 2009 and the subsequent financial regulations.

Through our successfully asserted presence within Australia and throughout the International Arena, in 2010 SKYSPAN STRUCTURES USA opened their new office in North America servicing both the USA and Canada.

SKYSPAN™ promotes a culture of innovation and accountability which ensures complete quality control and quality assurance, with our systems continually improving to anticipate, meet and exceed client's expectations. Our core value is to manufacture and provide the best quality shade solutions on the market today.





# ARCHITECTURAL UMBRELLAS


***SKYSPAN™ umbrellas demonstrate the perfect culmination of elegance and style with the ability to turn any outdoor area into an extraordinary luxurious leisure retreat.***

Every Umbrella is proudly made in Australia, architecturally designed and engineered to ensure stability and durability in our extreme weather conditions, including UV protection and a wind rating certification of up to 148km/h (W41).


SKYSPAN™ is proud to be able to offer our clientele a wide range of architectural umbrellas that include the following options:

- Centre column, cantilevered, and gazebo styles
- Square, hexagonal, rectangle and custom shapes
- Marine grade stainless steel catenary cables and fittings
- Full alloy frame available in selected ranges (carrying a lifetime anti-rust warranty)
- Full colour range, corporate branding and graphic design service
- Engineered wind rating from 118km/h (W31 ) to 141km/h (W41)
- Unique concealed gear drive mechanism available on selected models for fast and easy retraction
- Complete turnkey package including consultation, design and installation
- Range of accessories, including lighting, heating, power, curtain systems, joiner panels, and rain lip

To find out more visit [www.skyspan-umbrellas.com.au](http://www.skyspan-umbrellas.com.au)







# UMBRELLA FEATURES




## INDUSTRY LEADING AUSTRALIAN WARRANTY

Skyspan™ Umbrellas offer true peace of mind with **lifetime anti rust warranty** on Aluminium umbrellas and up to 10 years structural and 5 year canopy warranties on selected product lines.

## AUSTRALIAN DESIGN, MANUFACTURE & SUPPORT

When you buy a Skyspan™ Umbrella you are not only supporting Australian industry. Skyspan™ customers receive world class quality products specifically designed to suit Australian conditions in shorter time frames than competitors who import their product. Skyspan™ quality control process includes inspection of EACH unit prior to packaging, crating and shipping.



## ENGINEERED & WIND RATED

Skyspan™ Architectural Umbrellas come with an Engineer Wind Rating Certification, be it our Portable Umbrellas (60Km/h), Vista & Sunset ranges (112Km/h open, 148Km/h retracted) or our cyclone rated Typhoon & Panorama ranges (148Km/h open).



# UMBRELLA FEATURES



## Stylish Cast Base Plates

At Skyspan™ we pay attention to detail. Starting at the bottom our custom cast alloy base plates provide a clean look whilst adding durability and strength to the design.

## EASY WIND OPENING & RETRACTING

In the middle our “Easy Wind” retraction system utilises a unique “rack and pinion” gear system which along with our “Anti-Jam” crank lift allow for easy, fast and reliable opening/closing of canopies. A simple but unique lever allows the umbrella to be locked in the open position for safety when used in public spaces. The removable handle leaves a clean aesthetic appearance whilst preventing unauthorised operation.



















## Concealed Cables

At the canopy level, our concealed stainless perimeter cable gives the canopy it's curved contemporary profile and overall chic quality. All hardware is manufactured from marine grade stainless steel for maximum strength and longevity.





# THE PORTABLE RANGE

STYLES AVAILABLE			WIND RATING		FRAME MATERIAL		COLUMN TYPE			FEATURES			PRICE		
															
SQUARE	HEXAGONAL	RECTANGULAR	148km/h	112km/h	ALUMINIUM	STEEL	CENTRE COLUMN	CANTILEVERED	GAZEBO	PORTABLE	FIXED	RETRACTABLE	ENTRY LEVEL	STANDARD	PREMIUM

***Our Portable range is designed to be light & easy to handle, easily removable from in-ground sockets or above-ground base plates, compatible with a large assortment of existing tables and sockets, yet able to withstand wind gusts of up to 60 kph***

















- Available in 1.9m, 2.4m, 3.0m & 3.5m sizing.
- Easily retracted or opened with a rope and pulley system.
- Made from high tensile, corrosion resistant structural powder coated aluminium.
- Outside column diameter of Ø49mm which fits inside most standard table umbrella holes.
- Low maintenance, translucent, heat reflective, UV treated and fully welded architectural grade PVC membrane available in a large variety of colours.
- Marine grade stainless steel catenary cables and fittings.
- 1 year warranty on frame and fabric.
- Engineered up to 60km/h wind rating
- Accessory options include 'in-ground' or 'above-ground' lockable base plates and corporate branding.







# THE HORIZON RANGE

STYLES AVAILABLE			WIND RATING		FRAME MATERIAL		COLUMN TYPE			FEATURES			PRICE		
															
SQUARE	HEXAGONAL	RECTANGULAR	148kmph CLOSED	112kmph OPEN	ALUMINIUM	STEEL	CENTRE COLUMN	CANTILEVERED	GAZEBO	PORTABLE	FIXED	RETRACTABLE	ENTRY LEVEL	STANDARD	PREMIUM

***Designed with flexibility in mind, the Horizon range is ideal for Alfresco Dining, Resorts and Entertainment Venues. Available in several shapes with high corrosion resistance materials, a wide range of accessories and a W33 (112kph) wind rating, it's easy to see why the Horizon range is a favourite.***

- Available in square, hexagonal or rectangular shapes.
- 2.4m – 5.6m standard sizing.
- Made from a high tensile, corrosion resistant, structural alloy, powder coated to any colour in the Dulux/Interpon range.
- Low maintenance, translucent, heat reflective, UV treated and fully welded architectural grade PVC membrane available in a large variety of colours.
- Marine grade stainless steel catenary cable and fittings.
- 10 year frame anti-rust policy, 5 year structural warranty on the frame & minimum 5 year fabric manufacturer's warranty on the canopy.
- Engineer wind rated to 112 kph (W33).
- Accessory options include integrated PVC fabric curtains, rain diverters, link panels (to join umbrellas), corporate branding, down/up lights, heaters and speaker systems.







# THE SUNSET RANGE

STYLES AVAILABLE			WIND RATING		FRAME MATERIAL		COLUMN TYPE			FEATURES			PRICE		
SQUARE	HEXAGONAL	RECTANGULAR	148km/h CLOSED	112km/h OPEN	ALUMINIUM	STEEL	CENTRE COLUMN	CANTILEVERED	GAZEBO	PORTABLE	FIXED	RETRACTABLE	ENTRY LEVEL	STANDARD	PREMIUM

***The brilliance of our Sunset umbrellas is that in extreme weather conditions they can be retracted easily and quickly. The unique gearing mechanism neatly concealed within the column of the umbrella allows the unit to be wound down via removable handle or automatically via remote control, ideal for cafes, restaurants and holiday resorts.***

















- Available in square, hexagonal and rectangular shapes.
- 2.4m – 5.6m standard sizing.
- Fully retractable with optional remote control for ease of retracting or deploying the canopy.
- Made from high tensile, corrosion resistant structural grade aluminium, powder coated to any colour in the Dulux/Interpon range.
- Low maintenance, translucent, heat reflective, UV treated and fully welded architectural grade PVC membrane available in a large variety of colours.
- 10 year frame anti rust policy, 5 year structural warranty & 2 year warranty on the canopy.
- Marine grade stainless steel catenary cable and fittings.
- Engineered wind rated 112 kph (W33) open & 148 kph (W41) closed.
- Accessory options include fabric curtains, rain diverters, link panels (joining umbrellas), corporate branding, down/up lights, heaters and speaker systems.








# THE TYPHOON RANGE

STYLES AVAILABLE			WIND RATING		FRAME MATERIAL		COLUMN TYPE			FEATURES			PRICE		
															
SQUARE	HEXAGONAL	RECTANGULAR	148mm OPEN	112 Km/h	ALUMINIUM	STEEL	CENTRE COLUMN	CANTILEVERED	GAZEBO	PORTABLE	FIXED	RETRACTABLE	ENTRY LEVEL	STANDARD	PREMIUM

***The clear choice for coastal resorts, exposed public spaces and wind-prone environments. Typhoon umbrellas are engineer certified to a wind rating W41 (148 KPH). Combine that with an industry leading structural & canopy warranty and you have shade with piece of mind.***

- Available in square, hexagonal and rectangular shapes.
- 2.4m – 5.6m standard sizing.
- Made from high tensile, structural grade aluminium with additional bracing for strength, powder coated to any colour in the Dulux/Interpon range.
- Low maintenance, translucent, heat reflective, UV treated and fully welded architectural grade PVC membrane available in a large variety of colours.
- Marine grade stainless steel catenary cable and fittings.
- 10 year frame anti rust policy, 5 year structural warranty on the frame & canopy.
- Engineer wind rated to 148 kph (W41).
- Range of accessories including lighting, heating, corporate branding & link panels.

















\* CURTAINS DRAMATICALLY REDUCE THE WIND RATING OF THE UMBRELLA .





# THE VISTA RANGE

STYLES AVAILABLE			WIND RATING		FRAME MATERIAL		COLUMN TYPE		FEATURES			PRICE			
															
SQUARE	HEXAGONAL	RECTANGULAR	148km/h CLOSED	112km/h OPEN	ALUMINIUM	STEEL	CENTRE COLUMN	CANTILEVERED	GAZEBO	PORTABLE	FIXED	RETRACTABLE	ENTRY LEVEL	STANDARD	PREMIUM

















***The Vista range has a cantilevered frame ideal for pools, cafes and public spaces where clear space under the canopy is preferred. The optional 360 degree pivoting base is perfect for utilising the shade at varying times of the day or for covering more than one area.***

- Available in square, hexagonal and rectangular shapes.
- 2.4m – 5.6m standard sizing.
- Proprietary concealed winding mechanism allows for quick retracting in extreme weather.
- Made from a hot dipped galvanised structural steel, powder coated to any Dulux/Interpon colour.
- Low maintenance, translucent, heat reflective, UV treated and fully welded architectural grade PVC membrane available in a large variety of colours.
- Marine grade stainless steel catenary cable and fittings.
- 5 year structural warranty on the frame & 2 year warranty on the canopy.
- Engineer wind rated to 112 kph (W33) open & 148 kph (W41) closed.
- Accessory options include 360 degree pivot base, PVC curtains, rain diverters, link panels (joining umbrellas), corporate branding, down/up lights, heaters and speaker systems.





# THE PANORAMA RANGE

STYLES AVAILABLE			WIND RATING		FRAME MATERIAL		COLUMN TYPE			FEATURES			PRICE		
															
SQUARE	HEXAGONAL	RECTANGULAR	W41 148km/h OPEN	W33 112km/h OPEN	ALUMINIUM	STEEL	CENTRE COLUMN	CANTILEVERED	GAZEBO	PORTABLE	FIXED	RETRACTABLE	ENTRY LEVEL	STANDARD	PREMIUM

***The Panorama range's primary feature is its perimeter frame. The structural perimeter frame makes hanging curtains a breeze, allows for easy mounting of heating, cooling and lighting systems whilst contributing to a W41 (148kph) wind rating.***

















- Available in centre column, cantilevered or gazebo style post arrangements.
- 3.0m – 8.0m standard sizing.
- Non Retractable.
- Frame constructed from structural grade C350 steel, hot dip galvanised and powder coated to any colour in the Dulux/Interpon range
- Low maintenance, translucent, heat reflective, UV treated and fully welded architectural grade PVC membrane available in a large variety of colours.
- 5 year structural warranty on the frame & minimum 5 year fabric manufacturer's warranty on the canopy.
- Engineered to W41 (148kph) winds in terrain category 3 for areas with high wind conditions.
- Accessory options include PVC curtains, gutters, link panels (joining adjacent umbrellas), corporate branding, down/up lights, heaters, electrical access points and speaker systems.







# THE HYPAR RANGE

















STYLES AVAILABLE			WIND RATING		FRAME MATERIAL		COLUMN TYPE		FEATURES			PRICE			
															
SQUARE	HEXAGONAL	RECTANGULAR	148km/h	112km/h	ALUMINIUM	STEEL	CENTRE COLUMN	CANTILEVERED	GAZEBO	PORTABLE	FIXED	RETRACTABLE	ENTRY LEVEL	STANDARD	PREMIUM

***Looking for something different? Skyspan's Hypar range is a new take on the classic umbrella style. Proving popular with Architects and Designers, our Hypars are often found in public spaces, commercial precincts, shopping centres and the like. Talk to us about a custom solution for your shade requirement today.***

- Standard shape is square - Custom design is available.
- 2.4m – 5.6m sizing.
- Non retractable - centre column and cantilever options available.
- Made from a hot dipped galvanised structural steel powder coated to any Dulux/Interpon colour.
- PVDF fully welded canopies with wide range of colours available.
- Marine grade stainless steel accessories, catenary cable and fittings.
- 5 year warranty on frame and 2 year warranty on the canopy.
- Engineered wind rated to 112 kph (W33) or 148 kph (W41) as required.
- Accessory options include screen printing, down/up lights, heaters, electrical access points, misting units and speaker systems.





# THE XENTIA RANGE

STYLES AVAILABLE			WIND RATING		FRAME MATERIAL		COLUMN TYPE			FEATURES			PRICE		
															
SQUARE	HEXAGONAL	RECTANGULAR	148Km/h	112 Km/h	ALUMINIUM	STEEL	CENTRE COLUMN	CANTILEVERED	GAZEBO	PORTABLE	FIXED	COLLAPSIBLE	ENTRY LEVEL	STANDARD	PREMIUM

***Looking for something truly stylish yet practical? Skyspan's Xentia range is practical yet stylish solution for restaurants, resorts, public spaces and high end domestic applications. Our Xentias double layer design offers superior cooling, strength and practicality.***

- Standard shapes are square or rectangular.
- Standard sizes include 3 x 3m, 3 x 4m, 3 x 4.5m, 3.5 x 3.5m, 3.5 x 4m, 3.5 x 4.5m.
- Multibay options available for larger areas.
- Made from custom 60/60 Aluminium extrusions powder coated in a large range of colours.
- Low maintenance PVC topside with woven underside.
- Accessory options include screen printing, privacy screens, PVC blinds and alloy shutters.







# UMBRELLA OPTIONS



**Fabric and Frame colour options**  
Skyspan™ offer a complete range of powdercoating colours from the Dulux/Interpon range for frames and a comprehensive set of canopy colours from the Ferrari 502 range.



## Electrical Plug Sockets

Electrical Plug Sockets are offered as an option to assist in ensuring patrons on the go are able to stay longer if the need arises.



## Electrical Heating

Skyspan™ Offers the option of including integrated Electrical Wiring to be supplied ex-factory for accessories including electrical heating units, lighting & speaker systems



## Corporate Branding

Corporate branding options available, including full-colour screen printing.

## Lighting

Up-lighting, down-lighting & strip-lighting are able to be provided, both Factory-Fitted and Retro-fitted.





# UMBRELLA OPTIONS



## Joiner Panels

Joiner panels are used to link umbrella units together to provide a simple but effective weather-proof solution between adjacent Skyspan™ Umbrellas.



## Lockable In-Ground Mounting Socket

Lockable In-Ground Bases can be provide for Portable Umbrellas to assist in Securing the Skyspan™ Umbrellas from envious on look-ers.



## Curtain Systems

Skyspan™ Umbrellas offer the facility of side-curtains in order to create a more sheltered and cosy environment, note will may effect the umbrellas Wind Rating.



## Unintrusive Pot Base

A weighted Pot Base unit is available where anchor bolts are not suitable.

## Pivot Base

Our Pivot-Base allows the Vista Cantilevered Umbrella to rotate freely through 360 degrees, allowing optimal use of the umbrellas shade throughout the day.






## SPECIFICATIONS

### PORTABLE RANGE

ALUMINIUM • RETRACTABLE • CENTRE COLUMN • 60KPH WIND RATING

SQUARE,  
CENTER COLUMN




MODEL	L	W	H	H1
S19SP	1900	1900	2250	3050
S24SP	2450	2450	2250	3050
S30SP	3050	3050	2250	3050

### SUNSET RANGE


ALUMINIUM • RETRACTABLE • CENTRE COLUMN • W33 WIND RATING

SQUARE,  
CENTER COLUMN




MODEL	L	W	H	H1
S24S	2380	2380	2250	3140
S30S	3130	3130	2250	3340
S35S	3500	3500	2250	3366
S40S	4000	4000	2410	3530

RECTANGULAR  
CENTER COLUMN



MODEL	L	W	H	H1
S43R	3950	2950	2370	3400

HEXAGONAL  
CENTER COLUMN




MODEL	L	W	H	H1
S44H	4415	3830	2250	3325
S50H	4360	4310	2250	3350
S56H	5610	4880	2270	3445

### HORIZON RANGE


ALUMINIUM • NON RETRACTABLE • CENTRE COLUMN • W33 WIND RATING

SQUARE,  
CENTER COLUMN




MODEL	L	W	H	H1
H24S	2380	2380	2250	3140
H30S	3130	3130	2250	3340
H35S	3500	3500	2250	3366
H40S	4000	4000	2410	3530

RECTANGULAR  
CENTER COLUMN



MODEL	L	W	H	H1
H43R	3950	2950	2370	3400

HEXAGONAL  
CENTER COLUMN




MODEL	L	W	H	H1
H44H	4415	3830	2250	3325
H50H	4360	4310	2250	3350
H56H	5610	4880	2270	3445

### TYPHOON RANGE


ALUMINIUM • RETRACTABLE • CENTRE COLUMN • W41 WIND RATING

SQUARE,  
CENTER COLUMN




MODEL	L	W	H	H1
T24S	2380	2380	2250	3140
T30S	3130	3130	2250	3340
T35S	3500	3500	2250	3366
T40S	4000	4000	2410	3530

RECTANGULAR  
CENTER COLUMN



MODEL	L	W	H	H1
T43R	3950	2950	2370	3400

HEXAGONAL  
CENTER COLUMN




MODEL	L	W	H	H1
T44H	4415	3830	2250	3325
T50H	4360	4310	2250	3350
T56H	5610	4880	2270	3445

## SPECIFICATIONS

### VISTA RANGE


STRUCTURAL STEEL • RETRACTABLE • CANTILEVER • W33 WIND RATING

#### SQUARE, CANTILEVER




MODEL	L	W	H	H1
V24S	2380	2380	2250	3760
V30S	3130	3130	2250	3803
V35S	3500	3500	2250	3803
V40S	4000	4000	2410	3803
V50S	5000	5000	2500	4000

#### RECTANGULAR CANTILEVER



MODEL	L	W	H	H1
V43R	3950	2950	2370	3803

#### HEXAGONAL CANTILEVER




MODEL	L	W	H	H1
V44H	4415	3830	2250	3545
V50H	4360	4310	2250	3578
V56H	5610	4880	2270	3637

### HYPAR RANGE

STRUCTURAL STEEL • FIXED • CENTRE • W41 WIND RATING

#### SQUARE, CENTER COLUMN




MODEL	L	W	H	H1
H30H	3000	3000	2250	3380
H40H	4000	4000	2250	3680
H50H	5000	5000	2300	3990

### PANORAMA RANGE


STRUCTURAL STEEL • FIXED • CENTRE, CANTILEVERED OR GAZEBO • W41 WIND RATING

#### SQUARE, CENTER COLUMN




	L	W	H	H1
P30S	3000	3000	2400	3380
P40S	4000	4000	2400	3680
P50S	5000	5000	2400	3990
P60S	6000	6000	2400	4446

#### SQUARE, CANTILEVER



MODEL	L	W	H	H1
P30SC	3000	3000	2400	3735
P40SC	4000	4000	2400	4040
P50SC	5000	5000	2400	4360
P60SC	6000	6000	2400	4810

#### GAZEBO, FIXED



MODEL	L	W	H	H1
P50SG	5000	5000	2400	3990
P60SG	6000	6000	2400	4450
P80SG	8000	8000	2400	4850




# SPECIFICATION MATRIX

Skyspan Umbrella Range	Portable <b>Po</b>	Horizon <b>Ho</b>	Sunset <b>Su</b>	Typhoon <b>Ty</b>	Vista <b>Vi</b>	Panorama <b>Pa</b>	Hypar <b>Hy</b>
<b>Shapes Available</b>							
 Square	•	•	•	•	•	•	•
 Rectangle		•	•	•	•		
 Hexagonal		•	•	•	•		
<b>Wind Rating</b>							
 Up to 60Kmh	•						
 W33- up to 112Kph		•	•		•		•
 W41- up to 148Kph			•	•	•	•	•
<b>Frame Material</b>							
 Steel					•	•	•
 Aluminium	•	•	•	•			
<b>Frame Type</b>							
 Center Column	•	•	•	•		•	•
 Cantilever					•	•	•
 Gazebo						•	
<b>Umbrella Features</b>							
 Fixed Open		•				•	•
 Retractable Fixed			•	•	•		
 Retractable Portable	•						
 Perimeter frame						•	
<b>Accessories</b>							
 Side Curtains		•			•	•	•
 Lighting Systems		•	•	•	•	•	•
 Electric Heaters		•	•	•	•	•	•
 Power Points		•	•	•	•	•	•
 Speaker systems		•	•	•	•	•	•
 Link Panels		•		•	•	•	•
 Corporate Branding		•	•	•	•	•	•
 Remote Electrical Retraction System			•	•	•		
 360 Degree Pivot Base					•	•	•
 Gutter System		•	•		•	•	

# SKYSPAN<sup>TM</sup>

RELATED ARCHITECTURAL PRODUCTS



*Style without Compromise*





# ARCHITECTURAL INDEX

Architectural Structures	22
Car Park Structures	23
Accreditations	24





# ARCHITECTURAL STRUCTURES

***SKYSPAN™ Architectural Fabric Structures provide an elegant, energy efficient and economical solution where large open span covered areas are required.***

With the advancement in software technology and the latest architectural textiles our in-house design and engineering team are able to transform an architect's vision into an engineered structural form.

The tensile membrane structure is not only designed to be structurally efficient it is also environmentally friendly with a large percentage of the structure typically able to be recycled at the end of its design life. With the technical advancement in fabrics, lifespans of these structures may be warranted in excess of 25 years, pending it's application, design and local environment.

The ambiance within a fabric structure is unlike that of a conventional building. Translucent fabrics gently diffuse daylight, soften the acoustics and even changes the way that air moves through the space.

- Variety of transparent, opaque, water proof and shade fabric options available
- Fabric structures cover large areas or spans with minimum supports where traditional building materials would be impractical
- Unique appeal of fabric structures with regard to lighting effects
- Fabric canopies can typically be relocated and reinstalled
- Fabric structures have the ability to create a dramatic architectural statement in the entryways to commercial buildings, sporting venues, stadiums and the likes

To find out more visit [www.skyspanshade.com.au](http://www.skyspanshade.com.au)







# CAR PARK STRUCTURES

***SKYSPAN™ has over time developed a wide range of standardised architectural Car Park Shade Structures and has the capability, with the facility of our in-house design & engineering team, to work with you or your architect in order to customise a solution to suite your particular requirement.***

***We appreciate that the protection of your asset, as well as the architectural aesthetic of the shade structure designed to supply this, are equally as important.***

The advantage of the SKYSPAN™ Car Park Shade Structures include:

- High quality commercial/architectural protective coating options for framework.
- An array of fabric options from cost-effective shade cloth to the high technology 'self-cleaning' waterproof PVC fabrics offering a lifespan in excess of 15 years
- Commercial, high-end residential and architectural designs to choose from, catering for your particular requirements.
- Full-service design, engineering, fabrication and installation and certification of structures.
- Resistant to torrential rains, harmful UV rays, hail and even flying fox and bird excreta

To find out more please visit our website: [www.skyspanshade.com.au](http://www.skyspanshade.com.au)



## ACCREDITATIONS

HOUSING INDUSTRY ASSOCIATION	
MASTER BUILDERS ASSOCIATION	
OHS PREQUALIFICATION 00674	
MEHLER ECO CARE	
SPECIALISED TEXTILES ASSOCIATION	
VINYL PLUS	
VINYL LOOP	
LOCAL BUY	
AUSTRALIAN MADE	